

8650

S E R I E S S P R A Y E R



No matter your application needs – The Schaben 8650 Series Sprayer has the performance, durability and reliability producers need in today's fields. Boom sizes offered to meet your operation's requirements – 60', 80' or 90'. Following that same principle, a tank capacity of 1650 gallons is available. A commercial built sprayer at an affordable price.

SCHABEN
I N D U S T R I E S

W W W . S C H A B E N I N D U S T R I E S . C O M



7-function hydraulic control box allows for finger touch boom control on the seven self-returning toggle switches.



Large filling platform and steps to access both sides of the platform.



3" stainless steel hydraulic pump with silicon carbide extreme duty seal. 2 year warranty.



BOOMS ARE AVAILABLE IN 60 FT, 80 FT OR 90 FT • CA

SCHABEN INDUSTRIES

8650 SERIES • WWW.SCHABENINDUSTRIES.COM

TECHNICAL SPECIFICATIONS

	US	Metric
Tractor Requirements.....	165 HP	165 HP
Transport Height.....	122"	3.1 m
Transport Width.....	143"	3.6 m
Tank.....	1650 US Gallons	6245 Liters
Tank type.....	Norwesco Teardrop	Norwesco Teardrop
Agitation.....	Jet Agitation 3/8" Eductor	Jet Agitation 3/8" Eductor
Lid size and Type.....	16" hinged	40.6 cm hinged with vent
Rinse Tank.....	130 US Gallons	492 Liters
Tank Rinsing.....	Two Rinse Balls	Two Rinse Balls
Filling.....	3" Quick Fill	7.52 cm Quick Fill
Personal Fresh.....	9 US Gallons	34 Liters
Weight on Drawbar (empty).....	970 Lbs	440 kg
Weight on Axle (empty).....	10,970 Lbs	4,975 kg
Weight Total (empty).....	11,660 Lbs	5,289 kg
Weight on Drawbar (water).....	3,900 Lbs	1,769 kg
Weight on Axle (water).....	22,800 Lbs	10,341 kg
Weight Total (water).....	26,700 Lbs	12,111 kg
Hitch.....	Clevis or pintle	Clevis or pintle
Length Hitch to Axle.....	175"	4.4m
Hitch Pin Size Required.....	1 1/8"	2.8575 cm
Crop Clearance		
320/90R46.....	31.5"	0.8 m
380/90R46.....	33"	0.83 m
Duals 320/90R50.....	34"	0.86 m
Spindle Size.....	3.5" - 17.375"	8.89 cm - 44.1325 cm
Spindle Size Duals.....	4.5" x 21"	11.43 cm x 53.34 cm
Hub Rating.....	10 - 11.25 @ 15,000 Lbs	10 - 28.575 @ 6,803 kg
Duals Hub Rating.....	10 - 13.187 @ 20,000 Lbs	10 - 33.495 @ 9,071 kg
Track Width.....	88" to 152"	2.2 m to 3.8 m
Track Width Duals.....	60/120 and 88/132	1.5/3.04 and 2.2/3.35
Suspension.....	optional	optional
Pump Hypro.....	210 gpm	795 Lpm
Booms Schaben.....	.60' to 90'	18 m to 28 m
High Volume Plumbing.....	standard	standard
Spray Height.....	15" to 72"	0.38 m to 1.828 m

- Seven Function control box to fold boom that requires one hydraulic remote
- Teardrop Product tank eliminates the needs for internal baffles
- Smooth sloping interior tank design allows for complete tank emptying and cleaning

Heavy duty 10 bolt hub, 4 1/2" spindle on a 5" x 7" x 3/8" adjustable axle.



Heavy 6" x 3" center section with ultra glide center pivot suspension system.

CALL YOUR SCHABEN DEALER FOR A PRICE QUOTE TODAY!

8650

S E R I E S S P R A Y E R



SCHABEN
I N D U S T R I E S

COLUMBUS, NE • 800.274.1025
COLUMBUS@SCHABENINDUSTRIES.COM

NEWTON, KS • 800.394.7662
NEWTON@SCHABENINDUSTRIES.COM

BAKERSFIELD, CA • 877.724.2236
BAKERSFIELD@SCHABENINDUSTRIES.COM

Form 1713

W W W . S C H A B E N I N D U S T R I E S . C O M